



tecklift ^{by Oyster}®



th ADD-ONS *by Oyster*®

FIRST-CLASS COMFORT



Oyster®
by ten Haaft GmbH



WE PROVIDE YOU WITH CONVINCING QUALITY AND PERFECT TECHNOLOGY – HANDMADE.

LIFTING AN E-BIKE? NOT YOUR JOB!

Lifting heavy e-bikes or bicycles to the transport height on the motorhome? It doesn't have to be that way! We make it easy for you. The tecklift converts your existing bike rack into a comfort model. Electrically driven, the tecklift moves your bike rack including e-bikes or bicycles up and down powerfully, quietly and parallel to the rear of your motorhome. If you don't yet own a bike rack, the tecklift becomes a lift with carrier function with an extension. Spare your back, let the tecklift work for you!



CONNECT

For retrofitting.

Have you already mounted a bike rack on the rear of your motorhome? You want more convenience, no longer want to lift your e-bikes to transport height and want to keep your existing bike rack? Then the tecklift connect is the right choice!

The tecklift connect is an electrically operated universal adapter. It turns your bike rack into a convenience model that makes transporting your e-bikes or bicycles much easier. Mount the tecklift connect between the rear of your motorhome and your existing bike rack. The tecklift connect adapts to your motorhome. The existing mounting points on the rear can usually continue to be used.



CARRY BASIC

For original equipment.

You don't have a bike rack or you want to replace your existing bike rack? You want more convenience and no longer want to lift your e-bikes to transport height? Then the tecklift carry basic is the right choice!

The tecklift carry basic is an electrically operated lift and carrier for two e-bikes in one. Mount the tecklift carry basic on the rear of your motorhome. Choose bike rails and holders that match your e-bikes or bicycles from any manufacturer. Your lift with carrier is then ready for use. Individual, light and close to the rear of the vehicle. Drive off instead of lifting!



CARRY COMPLETE

The Complete System.

With the tecklift carry complete, you receive the complete solution from ten Haaft – including two bicycle rails and two holding arms. It is identical in construction to the tecklift carry basic, but adds everything you need for immediate use.



The advantages at a glance

- comfortable, fast, quiet
- low weight
- high-performance linear motor
- weather-resistant
- self-lubricating and maintenance-free
- Low space requirement due to parallel running to the rear of your motorhome, distance to the rear wall is adjustable
- Connects your bike rack to your motorhome
- Easy installation between the rear and the bike rack your motorhome – infinitely adjustable vertically from 70 to 150 cm to your motorhome
- The tecklift adapts to your vehicle. Existing mounting points can be reused in most cases
- Moves your bike rack including e-bikes / bicycles up and down electrically
- Easy loading and unloading of your e-bikes / bicycles
- complete with switch, cable set and mounting material
- Invented, developed and manufactured in Germany
- Patented throughout Europe

Motorhome, bike rack and tecklift fit together

Handmade with high quality standards. That is the basis for every tecklift. Our employees build the tecklift for you from approx. 320 individual parts. With manual skill, care and attention. We use high-quality individual parts that are manufactured specifically for us according to our plans. In doing so, we use aluminum with a view to weight optimization. The connecting elements and screw connections are made of stainless steel. Before delivery to you, every tecklift is technically and visually checked by our team.

We work for you in Germany.

100 % invented in Germany, 100 % developed in Germany,
100 % manufactured in Germany.

The tecklift was invented in Germany and is patented.

Our production processes are highly specialized. We work closely with our partner companies from the region. Social commitment is an integral part of our attitude and our actions.

Technical specifications

- Lifting height 80 cm
- Lifting capacity / load capacity 60 kg
- Lifting speed 22 mm/sec.
- Noise level 55 dB
- Weight 15 kg, 16 kg, 18 kg
- Dimensions (H x W) 110 x 65 cm
- Adjustable rear distance 9.5–15 cm
- Horizontal mounting distance 60 cm
- Vertical mounting distance 70–150 cm
- Operating voltage DC 12 V / 10 A
- Operation via rocker switch





Oyster[®]
by ten Haaft GmbH

ten Haaft GmbH · Neureutstraße 9 · DE-75210 Keltern Tel: +49 (0)72
31 / 58 588-0 · Fax: +49 (0)72 31 / 58 588-119 info@ten-haaft.de ·
www.ten-haaft.com

We are happy to help you find the right solution:

Oyster Sat-Tech Ltd.

Unit 5, Hemploe Business Park · Hemploe Road, Welford
Northants, NN6 6HF

Tel.: 0044 1858 575 928 · Fax: 0044 1858 575 028
info@oystersat-tech.co.uk · www.oystersat-tech.co.uk

Version 12/2025 · 4.350.0116